

Care CEUs

OSHA Safety and Health Standards

Injury and Illness Prevention Programs

1. 'Processes and procedures are created and implemented to control workplace hazards' falls under which OSHA recommended element?

- A. Hazard Identification and Assessment
 - B. Hazard Prevention and Control
 - C. Education and Training
 - D. Program Evaluation and Improvement
-

Top 10 Most Frequently Cited Standards

2. For fiscal year 2011, what was the most frequently cited standard?

- A. Scaffolding
 - B. Respiratory Protection
 - C. Electrical, Wiring Methods
 - D. Machine Guarding
-

Fatality, Injury and Illness Information

3. Reports of injury, illness, or fatality must be made orally within _____ hours of the employer learning of such incidents.

- A. 4
 - B. 6
 - C. 8
 - D. 12
-

Walking-Working Surfaces

4. Every hatchway and chute floor opening must be guarded by a hinged floor opening cover equipped with standard railings that leave only one exposed side or a removable railing with toeboard on not more than two sides and a fixed standard railing with toeboards on all other

exposed sides.

- A. True
 - B. False
-

5. All scaffolds and their components must be capable of supporting, without failure, at least six times the maximum intended load.

- A. True
 - B. False
-

Means of Egress

6. Exit doors serving more than 50 people, or at high-hazard areas, must swing in the direction of exit travel.

- A. True
 - B. False
-

Occupational Health and Environmental Controls

7. Where showers are required to be provided, one shower must be provided for every _____ employees of each sex.

- A. 2
 - B. 5
 - C. 8
 - D. 10
-

Hazardous Materials

8. Acetylene, under no condition must be generated, piped, or utilized at a pressure in excess of _____ pounds per square inch.

- A. 8
 - B. 15
 - C. 22
 - D. 30
-

9. For fire protection purposes, not more than 660 gallons of Class IA liquids in containers may be located outside of an inside storage room or storage cabinet in a building or any one fire area of a building.

- A. True
 - B. False
-

Hazardous Agents

10. Asbestos exposure must not be in excess of _____ fiber per cubic centimeter of air as an 8-hour time-weighted average.

- A. 0.1
 - B. 0.5
 - C. 1.0
 - D. 1.5
-

11. Which vaccination must be offered to all workers, at no cost, who have a reasonably anticipated exposure to blood or other potentially infectious materials?

- A. Influenza
 - B. DPT
 - C. Hepatitis B
 - D. Hepatitis C
-

12. Employee exposure to chromium (III) must be limited to an airborne concentration of 5 parts chromium (III) per cubic meter of air as an 8-hour time-weighted average.

- A. True
 - B. False
-

13. The radiation exposure must not exceed how many Rems per calendar quarter on the hands and forearms or feet and ankles?

- A. 1.25
 - B. 7.5
 - C. 12.4
 - D. 18.75
-

Welding, Cutting and Brazing

14. Oxygen must never be used for ventilation.

- A. True
 - B. False
-

Hazardous Equipment and Machinery

15. No hoist must be subjected to a load in excess of _____ % of its rated load.

- A. 90
 - B. 100
 - C. 125
 - D. 150
-

General Electrical Safety

16. Unqualified employees and mechanical equipment must be at least _____ feet away from overhead power lines.

- A. 4
 - B. 10
 - C. 12
 - D. 30
-

Copyright © 2026 Care CEUs

Visit us at <https://www.careceus.com>